



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b>  <b>A01K 1/015</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 98/54956</b>  <b>(43) International Publication Date:</b> 10 December 1998 (10.12.98)
<b>(21) International Application Number:</b> PCT/US98/11380  <b>(22) International Filing Date:</b> 3 June 1998 (03.06.98)  <b>(30) Priority Data:</b> 60/048,518                      4 June 1997 (04.06.97)                      US 09/085,771                      28 May 1998 (28.05.98)                      US  <b>(71) Applicant:</b> THE ANDERSONS, INC. [US/US]; 480 W. Dussel Drive, Maumee, OH 43537 (US).  <b>(72) Inventors:</b> KORY, Daniel, R.; 8115 Hidden Forest Drive, Holland, OH 43528 (US). HALL, Glenn, E.; 420 West Williams Street, Maumee, OH 43537 (US).  <b>(74) Agents:</b> ANDERSON, Thomas, E. et al.; Gifford, Krass, Groh, Sprinkle, Patmore, Anderson & Citkowski, P.C., Suite 400, 280 North Old Woodward, Birmingham, MI 48009 (US).		<b>(81) Designated States:</b> CA, JP, MX, PL, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> CAT LITTER AND PROCESS OF MAKING		
<b>(57) Abstract</b>  <p>A biodegradable, clumpable cat litter (10) made from corncob and biomass components. The animal litter (10) is a mixture of heavy density particles (12) and light density particles (14). The heavy density particles (12) are formed of corncob grit (13) and the light density particles (14) are formed of sized pellets (15) of light weight corncob components. Heavy density and light density particles (12, 14) are coated with mineral oil to which is adhered guar gum. The heavy density particles (12) compose 30 % - 70 % of the mixture and the remainder is composed of light density particles (14).</p> <div style="text-align: center;"> <pre> graph TD     A[FORM PELLETS OF LIGHT WEIGHT MATERIAL] --&gt; B[SIZE AND SCREEN CORN COB GRIT]     A --&gt; C[SIZE AND SCREEN PELLETS]     B --&gt; D[ADD OIL]     C --&gt; D     D --&gt; E[ADD ADHESIVE]     E --&gt; F[ADD ODOR CONTROL]           </pre> </div>		

*FOR THE PURPOSES OF INFORMATION ONLY*

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications, under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## **CAT LITTER AND PROCESS OF MAKING**

### **Background of the Invention**

This application claims the benefit of U. S. Provisional Application Serial No. 60/048,518, filed June 4, 1997.

#### **I. Field of the Invention**

The invention relates to disposable cat litter and a method of making the same. More particularly, the invention relates to a cat litter formed primarily of corncob grit and sized pellets of corncob chaff and pith and a method for producing the same.

#### **II. Description of the Prior Art**

Corncob grit has been used as animal litter for some time. Grit is the woody pulp portion of the cob, the remainder of the cob being pith and chaff. Corncob grit is used as litter because it is compostable, biodegradable, and has superior odor control properties. However, only 60% of the cob is grit, so the remaining 40% of the cob is waste. Additionally, the sorption rate of grit is not fast enough to absorb all of the urine before it reaches the bottom of the tray. When urine reaches the bottom of the tray, it collects and bonds litter to the tray as it dries. Accordingly, it would be desirable to produce a litter which has superior odor control and sorption rate.

Clumpable animal litter formed of particles of bentonite clay, as disclosed in U.S. Patent No. 5,000,115, has also been used for some time. The particles of the bentonite clay adhere together and form a clump when moistened by animal dross. The clump of the moistened litter may then be easily removed from the litter box with a scoop and discarded, thereby extending the useful life of a batch of litter. However, bentonite clay used in clumpable cat litter contains mica. Mica is carcinogenic, accordingly, use of such a compound raises health concerns for both the animal concerned and the person changing the litter.



for given volume, better sorption properties than clay materials, and excellent clumping characteristics. The material is essentially dust free, totally free of carcinogens, and has an aesthetically appealing color.

#### **Brief Description of the Drawing**

5 A better understanding of the present invention will now be had upon reference to the following detailed description, when read in conjunction with the accompanying drawing, wherein like reference characters refer to like parts throughout the several views, and in which:

FIG. 1 is a perspective drawing of animal litter in a tray in accordance  
10 with the invention;

FIG. 2 is a partial cross-sectional view of particles of the animal litter in accordance with the invention; and

FIG. 3 is a flow chart showing the steps of the method in accordance with the invention.

#### **Detailed Description of the Preferred Embodiments**

15 As shown in FIG. 1, clumpable animal litter 10 in accordance with the invention is shown in a litter box 20. The animal litter is a mixture of heavy density particles 12 and light density particles 14. Both types of particles 12, 14 are formed of organic materials. In the preferred embodiment, the heavy  
20 density particles 12 are formed of corncob grit 13, i.e., the woody ring portion of a corncob, and the light density particles 14 are formed of sized pellets 15 of the light portions of the corncob. The light portions of the corncob are coarse chaff, fine chaff, and pith which constitute approximately 40% of the corncob by weight.

25 The heavy density particles 12 are formed by reducing corncob grit to size by using conventional hammer milling and roller milling techniques. The heavy density particles have a density of about  $30 \pm 3$  lb/cu ft. The grit particles are screened to be generally 10-30 mesh with about 90% of the

particles sized 10-20 mesh (U.S. Standard). A preferred distribution is set forth below.

#### GRIT PARTICLES OR HEAVY DENSITY PARTICLES

	Screen Size	+10	10-14	14-20	20-30	30-40	-40
5	% by weight	<1	39	50	10	1	<1

The size of the particles affects both the tracking and clumping characteristics of the animal litter. Heavier density and/or larger sized particles are less likely to adhere to the animal and be tracked.

The light density particles 14 are formed from pellets of beeswing or other natural materials. In the preferred embodiment, the pellets of chaff and pith are formed in accordance with the process described in U. S. Patent No. 5,207,389 in such a manner as to form pellets having a density of approximately 28 to 35 lb/cu ft. The pellets are reduced to an appropriate size by roller milling and hammer milling. After sizing, the light density particles 14 have a density of about  $23 \pm 3$  lb/cu ft. The light density particles 14 are screened to be generally 10-60 mesh (USS). In the preferred embodiment, 78% of the particles are 14-40 mesh (U.S. Standard). A typical size distribution for light density particles 14 is shown in the chart below.

#### LIGHT DENSITY PARTICLES

20	Screen Size	+10	10-14	14-20	20-40	40-60	60-80	-80
	% by weight	0	10	43	35	10	2	<1

The animal litter is then formed of a mixture of heavy density and light density particles 12, 14 so that between 30% to 70% by weight of the mixture is heavy grit particles 12 and the remainder of the mixture is between 70% to 30% by weight, light weight particles 14.

In the preferred embodiment, the mixture is 60% by weight heavy density particles 12 and 40% by weight light density particles 14. This proportion is generally the same as the proportion of heavy weight components or grit to lightweight components or chaff and pith found in a corncob. Thus,

in addition to the excellent sorption, odor control, clumping, and tracking properties of the mixture, the mixture is economical because there is little or no waste.

5       The mixture has a combined density of approximately 28 lb/cu ft  
± 3 lb/cu ft. It has been found that this mixture provides an appropriate balance of densities and sizes to minimize tracking, and maximize animal urine sorption, and clumpability. The particle size distribution set forth above provides excellent clumping and a proper urine sorption rate. If the size of the particles is either too large or too small, the clumping ability is negatively  
10       affected. The slightly smaller average size of the light density material facilitates clumping with the larger heavy density material. The clump 22 of litter disintegrates in the water of a toilet and is easily flushed away. If a clump 22 is not to be flushed, it will remain formed as a clump for other manners of disposal.

15       If the urine absorption rate is too low, urine is absorbed too slowly and some of it flows to the bottom of the litter pan 20, where the litter forms clumps which adhere to the pan 20. These clumps are difficult to remove. When both particles 12, 14 are sized as set forth above, the light density particles have a sufficiently high sorption rate to take up the urine in the top layers of the litter.  
20       A clump 22 is then formed in the top layer of the litter which is easily scooped out of the litter box 20 for disposal by flushing down the toilet or other suitable manner.

25       It has been found that other organic materials such as peanut shells can be substituted for a portion of either the heavy density or light density corncob components to form the light weight particles. The other organic materials include grasses, straw, soy hulls, sunflower hulls, oat hulls, rice hulls, corn stalks, pecan shells, corn husks, spelt hulls, or kenaf. These materials may be added at up to one-third by weight of either the heavy weight or light weight corncob particles. The other materials should be sized and have sorption rates

or densities generally the same as the particles which are being replaced. However, these other materials do not have the odor control ability of the corncob components.

5 As shown in FIG 2, both the heavy density particles 12 and light density particles 14 are provided with a coating 16 of oil. In the preferred embodiment, the coating 16 is mineral oil and is added as 4% by weight of the total weight of the particles 12, 14. The oil eliminates dust during mixing, handling, packaging, and use. Other oils such as kerosene, mineral seal oil, vegetable oils, or any of a series of paraffinic or naphthinic distillates may also be used.

10 Although the mixture of sized pellets of light density material and sized heavy density material readily forms clumps, these clumps tend to degrade over time. Accordingly, in the preferred embodiment the integrity of the clump is maintained by adding particles 18 of guar gum. In the preferred embodiment, the clumping agent 18 is guar gum. Guar gum is added to be in the range of 3 to 7% by weight of the total weight of the heavy and light weight particles 12, 14 and preferably about 5% by weight. The particle size distribution and viscosity of the guar gum is critical to achieve good clumping. In the preferred embodiment, 95% of the guar gum particles are smaller than 200 mesh (U.S. Standard). The viscosity of the guar gum should be more than 4500 cps in a 1% aqueous solution after 24 hours. Although the guar gum can be in the range of 3% to 7% of the total weight, lesser amounts of clumping agent 18 result in crumbly or less manageable clumps for disposal and greater amounts of clumping agent result in excessive firmness of the clumps.

20 Advantageously, an odor control agent, fungicide, lime, sodium bicarbonate, or materials identified in U. S. Patent No. 5,195,465, to prolong the life of cellulosic-based litters may be added at 0 to 1% of weight of the mixture. Additionally, an odor control material and fragrance as well as a bactericide such as Myacide S2 produced by Angus Chemical, may be added.



### Method of Preparation

As shown in Fig. 3, after separating the grit from the pith and chaff, the corncob grit is subjected to roller milling and hammer milling and screened to form the proper size distribution as set forth above. The light weight corncob components are formed in pellets according to a suitable method such as described in U. S. Patent No. 5,207,389. The pellets are formed to have a density of approximately 28 - 35 lb/cu ft. The pellets are then reduced to the appropriate size by roller milling and hammer milling techniques and screened to obtain the light density particles 14. A predetermined amount of at least 30% by weight of the heavy weight particles 14 and the remainder to be light density particles are placed in a low shear, fluidizing mixer. The mixer should impart no shear or heat to the mixture. The mixer is run sufficiently long, such as 15-20 seconds, to provide a homogenous mixture. The oil is added to fully coat the particles. The oil is added to the mixer in an amount from 0% to 6%, preferably 4%, of the weight of the mixture of particles. It has been found that the oil facilitates the adherence of the guar gum as well as reducing dust. The next step is adding 28 the guar gum to the mixture and thoroughly blending the mixture. During the mixing process, the guar gum adheres to the cob particles 12, 14. It has been found that the uniform covering of the oil on the corncob particles facilitates the adherence of the guar gum to the cob particles 12, 14. The odor control material with fragrance is then added at a rate of 2 to 3 lb/ton of cob components and thoroughly blended. Additionally, at this time fungicide, bactericides or other odor control materials may be added. The litter 10 is then thoroughly blended and is ready for packaging in bags, jugs, boxes, etc.

The litter thus produced is biodegradable and compostable and made from a renewable resource which is free of carcinogens. The litter is half the weight for a given volume of conventional clay litter which makes handling of the litter easier. The litter has better sorption than clay materials and excellent

clumping characteristics, making it easy to remove the urine from the litter pan. The litter is essentially free of dust and has excellent odor control properties. The blend produces a litter with a minimal amount of tracking compared with previous litters.

5           Finally, the color of the litter is aesthetically appealing. The color is controlled by the combination of light color of the heavy portion of the cob and the darker color of the light density components of the cob.

          Having described my invention, many different embodiments will become apparent to one skilled in the art to which the invention pertains without  
10       deviating from the scope of the disclosure as set forth in the appended claims.

          We claim:

CLAIMS

- 1           1.     An animal litter comprising:  
2                 a mixture of a plurality of biomass heavy density particles and a plurality  
3                 of biomass light density particles, at least 70% of said heavy density particles  
4                 being corncob grit, at least 70% of said light density particles being pelletized  
5                 corncob chaff and pith, said mixture being between 30 to 70% by weight of said  
6                 heavy density particles and a remainder of said mixture being said plurality of  
7                 light density particles.
- 1           2.     The animal litter of Claim 1, wherein at least 60% by weight of  
2                 said heavy density particles are sized between 10 mesh and 20 mesh.
- 1           3.     The animal litter of Claim 1, wherein said heavy density particles  
2                 have a density generally in the range of 27 to 33 lb/cu ft.
- 1           4.     The animal litter of Claim 1, wherein light density particles have  
2                 a density generally in the range of 20 to 26 lb/cu ft.
- 1           5.     The animal litter of Claim 1, wherein at least 60% of light  
2                 density particles are sized between 14 mesh and 40 mesh.
- 1           6.     The animal litter of Claim 1, wherein said heavy density particles  
2                 comprise generally 60% of said mixture by weight.
- 1           7.     The animal litter of Claim 1, wherein each of said plurality of  
2                 heavy density particles and each of said plurality of light density particles have  
3                 a coating of oil.

1           8.     The animal litter of Claim 7, wherein particles of guar gum are  
2     adhered to each of said pluralities of heavy density and light density particles.

1           9.     The animal litter of Claim 8, wherein at least 90% of said  
2     particles of guar gum have a screen size less than 200 mesh.

1           10.    An animal litter comprising:  
2           a plurality of corncob particles, each of said plurality of particles having  
3     an outer surface having a coating of mineral oil and guar gum.

1           11.    The animal litter of claim 10, wherein said plurality of corncob  
2     particles is comprised of a plurality of heavy density particles and a plurality of  
3     light density particles, said light density particles being formed from chaff and  
4     pith.



1           12.    The animal litter of claim 10, wherein at least 80% of said  
2     plurality of particles have a size between 10 mesh and 40 mesh.

1           13.    The animal litter of claim 10, wherein said guar gum is in the  
2     range of 3% to 7% of the total weight of said litter.

1           14.    The animal litter of claim 10, wherein said oil coating is 0% to  
2     6% by weight of the total weight of the animal litter.

1           15.    a method of producing animal litter comprising the steps of:  
2           reducing corncob grit to heavy density particles;  
3           forming pellets of light weight natural materials and reducing said pellets  
4   to a predetermined size;  
5           forming a mixture which is at least 30% by weight of heavy density  
6   particles and the remainder of said light density particles;  
7           adding coating oil to said mixture to coat said particles and said sized  
8   pellets;  
9           mixing a clumping agent to said mixture after said step of adding oil.

1           16.    The method of Claim 15 further comprising the step of screening  
2   at least 60% of said light density particles to have a size between 14 mesh and  
3   40 mesh.



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US98/11380

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) :A01K 1/015

US CL :119/171

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 119/171, 173

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	US 5,152,250 A (LOEB) 06 October 1992 (06.10.1998), col. 3, lines 14.	15, 16 ----- 10, 12-14
Y	US 5,193,489 A (HARDIN) 16 March 1993 (16.03.1993), col. 5, lines 13-21.	10, 12-14
A	US 3,059,615 A (KUCESKI et al.) 23 October 1962 (23.10.1962), see the entire document.	1-16

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X*	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y*	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z*	document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means		
*P* document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

14 JULY 1998

Date of mailing of the international search report

30 JUL 1998

 Name and mailing address of the ISA/US  
 Commissioner of Patents and Trademarks  
 Box PCT  
 Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

ROBERT P. SWIATEK

Telephone No. 703/308-2700